

PLAYGROUND INSPECTION

Inspection Park



SOURCE DOCUMENTS :

Handbook for Public Playground Safety,
Publication number 325, U.S. Consumer
Product Safety
Commission, Washington, DC 20207

Standard Consumer Safety Performance
Specification for Playground Equipment for
Public Use, Designation F 1487-07ae1, ASTM
International, 100 Barr Harbor Drive, West
Conshohocken, PA 19428

SITE/LOCATION : Goodparks, Town Of
Main Street
Goodparks, NY 11111

OWNER :

START DATE : 6/11/2008

COMPLETION DATE : 6/11/2008

WEATHER : Sunny

SCOPE OF WORK : SAFETY INSPECTION ADA INSPECTION REPAIRS

NOTES :

CERTIFIED SAFETY INSPECTOR'S SIGNATURE

DATE

BILL JOHNSON

CERTIFICATE NUMBER :

EQUIPMENT INVENTORY

Inspection Park



PLAY STRUCTURE
Stand-up Spinner
 MANUFACTURER
Landscape Structures, Inc.
 AGE GROUP
5 to 12
 CRITICAL FALL HEIGHT
9

12.56001

COMPONENT NAME	TYPE	SUBTYPE
Merry-go-Round/Spinner	Merry-go-Round/Spinner	12.68001



PLAY STRUCTURE
Independent Slide
 MANUFACTURER
Landscape Structures, Inc.
 AGE GROUP
5 to 12
 CRITICAL FALL HEIGHT
72

12.36001

COMPONENT NAME	TYPE	SUBTYPE
Slide	Slide	12.88001
Stairway	Stairway	12.78001

PLAYGROUND
Inspection Park

12.26001



PLAY STRUCTURE
Tower Structure
 MANUFACTURER
Landscape Structures, Inc.
 AGE GROUP
2 to 5
 CRITICAL FALL HEIGHT
48

COMPONENT NAME	TYPE	SUBTYPE
Slide	Slide	12.48001
Ladder	Ladder	12.38001
Stairway	Stairway	12.18001
3-D Net/Flexible Climber	3-D Net/Flexible Climber	12.28001

12.46001



PLAY STRUCTURE
2 Bay Swing Set
 MANUFACTURER
Landscape Structures, Inc.
 AGE GROUP
2 to 5
 CRITICAL FALL HEIGHT
96

COMPONENT NAME	TYPE	SUBTYPE
Swing	Swing	12.58001

SUMMARY OF NONCOMPLIANCE

Inspection Park

HAZARD PRIORITY RATING : 2

serious injury or illness resulting in temporary disability

PLAY STRUCTURE	COMPONENT	MANUFACTURER
2 Bay Swing Set	Swing	Landscape Structures, Inc.

CATEGORY Clearance

The horizontal distance between the supporting structure and the adjacent to-fro swing seat is no less than 30”, when measured 60” from protective surfacing (D1).

STANDARD	SECTION
ASTM	8.6.1.5
CPSC	Figure 22

PLAY STRUCTURE PHOTO



NONCOMPLIANT PHOTO



INSPECTORS' FINDING

swing chain is less than 30" from Structure

HAZARD PRIORITY RATING : 3

minor (non-disabling) injury

PLAY STRUCTURE

Tower Structure

COMPONENT

Slide

MANUFACTURER

Landscape Structures, Inc.

CATEGORY Exit Region

Slides 4' high, or less, the slide exit height does not exceed 11" above the protective surfacing.

STANDARD

SECTION

CPSC

12.4.5

ASTM

8.5.5.3

PLAY STRUCTURE PHOTO



NONCOMPLIANT PHOTO



INSPECTORS' FINDING

exceeds 11 inches

SUMMARY OF REPAIRS

Inspection Park

PLAY STRUCTURE
 2 Bay Swing Set

MANUFACTURER
 Landscape Structures, Inc.

CATEGORY Entanglement

Connecting Devices - 'S' hooks and 'C' hooks must be closed as per ASTM Figure A1.19.

STANDARD	SECTION
ASTM	Figure A1.19

PLAY STRUCTURE PHOTO



NONCOMPLIANT PHOTO



REPAIR PHOTO



INSPECTORS' FINDING

open S hooks